


IN THE CLAIMS


Please amend the claims as follows:

Claim 1 (Original): A fuel and lubricant additive concentrate comprising at least one anthraquinone derivative as a marker.


Claim 2 (Original): The concentrate according to claim 1, comprising at least one anthraquinone derivative selected from the group consisting of the compounds of the formula I



of the formula II



and of the formula III



where

Z^1, Z^2 are each independently hydrogen, hydroxyl, OR, NHR or NR_2 ,

R^1, R^2 are each independently R or COR,

X is hydrogen, cyano, nitro, hydroxyl, OR, amino, NHR, R or $CH(R^9)(R^{10})$,

n, m are each 0, 1, 2, 3 or 4, and, in each case that n or m is greater than 1, the R or X radicals may each be the same or different,

R⁹, R¹⁰ are each independently cyano, COOH or COOR,

R³ is hydrogen, R or NHR,

R⁴ to R⁸ are each independently hydrogen, R or NHR

and

R is C₁-C₂₀-alkyl which is optionally interrupted by from 1 to 4 oxygen atoms in ether function, C₅-C₇-cycloalkyl which is optionally substituted by one or more C₁-C₂₀-alkyl groups which are optionally interrupted by from 1 to 4 oxygen atoms in ether function, saturated heterocyclic five- or six-membered radical which is optionally substituted by one or more C₁-C₂₀-alkyl groups which are optionally interrupted by from 1 to 4 oxygen atoms in ether function, or is C₆-C₁₀-aryl which is optionally substituted by one or more halogen, cyano, nitro, hydroxyl, amino, C₁-C₂₀-alkyl which is optionally interrupted by from 1 to 4 oxygen atoms in ether function, C₁-C₂₀-alkoxy, C₁-C₂₀-alkylamino or C₁-C₂₀-dialkylamino, or is heteroaryl having from 3 to 12 carbon atoms which is optionally substituted by one or more C₁-C₂₀-alkyl which is optionally interrupted by from 1 to 4 oxygen atoms in ether function, C₁-C₂₀-alkoxy, C₁-C₂₀-alkylamino or C₁-C₂₀-dialkylamino, or is C₆-C₁₀-aryl-C₁-C₄-alkyl which is optionally substituted in the aryl radical by one or more halogen, cyano, nitro, hydroxyl, amino, C₁-C₂₀-alkyl which is optionally interrupted by from 1 to 4 oxygen atoms in ether function, C₁-C₂₀-alkoxy, C₁-C₂₀-alkylamino or C₁-C₂₀-dialkylamino, or is heteroaryl-C₁-C₄-alkyl having from 3 to 12 carbon atoms in the heteroaryl radical, the latter optionally being substituted by one or more C₁-C₂₀-alkyl which is optionally interrupted by

from 1 to 4 oxygen atoms in ether function, C₁-C₂₀-alkoxy, C₁-C₂₀-alkylamino or C₁-C₂₀-dialkylamino.

Claim 3 (Original): The concentrate according to claim 2, wherein, in formula I and

II,

Z¹, Z² are each independently hydrogen or NHR,

R¹, R² are each independently R,

X is hydrogen, cyano or CH(R⁹)(R¹⁰),

n, m are 0, 1, 2, 3 or 4, and, when n or m is greater than 1, the R or X radicals are the same or different,

R⁹, R¹⁰ are each independently cyano or COOR,

R³ is hydrogen, R or NHR,

R⁴ to R⁷ are hydrogen or NHR,

R⁸ is NHR

and

R is C₁-C₁₅-alkyl which is optionally interrupted by from 1 to 4 oxygen atoms in ether function, cyclohexyl which is optionally substituted by one or more C₁-C₁₅-alkyl groups which are optionally interrupted by from 1 to 4 oxygen atoms in ether function, saturated heterocyclic five- or six-membered radical which is optionally substituted by one or more C₁-C₁₅-alkyl groups which are optionally interrupted by from 1 to 4 oxygen atoms in ether function, or is C₆-C₁₀-aryl which is optionally substituted by one or more C₁-C₁₅-alkyl which is optionally interrupted by from 1 to 4 oxygen atoms in ether function, C₁-C₁₅-alkoxy, C₁-C₁₅-alkylamino or C₁-C₁₅-dialkylamino, or is heteroaryl having from 3 to 5 carbon atoms which is optionally substituted by one or more C₁-

C₁₅-alkyl which is optionally interrupted by from 1 to 4 oxygen atoms in ether function, C₁-C₁₅-alkoxy, C₁-C₁₅-alkylamino or C₁-C₁₅-dialkylamino, or is phenyl C₁-C₄-alkyl which is optionally substituted in the phenyl radical by one or more C₁-C₁₅-alkyl which is optionally interrupted by from 1 to 4 oxygen atoms in ether function, C₁-C₁₅-alkoxy, C₁-C₁₅-alkylamino or C₁-C₁₅-dialkylamino, or is heteroaryl-C₁-C₄-alkyl having from 3 to 5 carbon atoms in the heteroaryl radical, the latter optionally being substituted by one or more C₁-C₁₅-alkyl which is optionally interrupted by from 1 to 4 oxygen atoms in ether function, C₁-C₁₅-alkoxy, C₁-C₁₅-alkylamino or C₁-C₁₅-dialkylamino.

Claim 4 (Currently Amended): The use of the concentrate according to ~~one or more of claims 1 to 3~~ claim 1 for additizing mineral oils.

Claim 5 (Currently Amended): A mineral oil comprising the concentrate according to ~~one or more of claims 1 to 3~~ claim 1.